

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17280	709/203,217-219,227.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L2	0	headless and rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L3	5	rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L4	5	rout\$3 and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L5	9554	UART	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L6	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L7	2613	L6 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L8	1302	L7 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L9	349	L7 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L10	5263	L6 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L11	2557	L10 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L12	345	L11 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L13	1266	L11 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L14	780	L13 and (partition or sect\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L15	165	L14 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L16	1	L15 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L17	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L18	5263	L17 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L19	431	L18 and (UART same multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L20	57	L18 and (UART near2 multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L21	57	L18 and (UART near2 multiplex\$3) and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L22	16	L18 and (UART adj multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L23	24	L18 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L24	16	L23 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L25	28	L20 and (provide or improve or better)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L26	17280	709/203,217-219,227.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L27	0	headless and rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L28	5	rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L29	5	rout\$3 and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L30	9554	UART	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L31	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L32	2613	L31 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L33	1302	L32 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L34	349	L32 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L35	5263	L31 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L36	2557	L35 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L37	345	L36 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L38	1266	L36 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L39	780	L38 and (partition or sect\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L40	165	L39 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L41	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L42	5263	L41 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L43	24	L42 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L44	1	L40 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L45	57	L42 and (UART near2 multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L46	57	L42 and (UART near2 multiplex\$3) and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L47	16	L42 and (UART adj multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L48	16	L43 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L49	28	L45 and (provide or improve or better)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L50	165	L39 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L51	431	L42 and (UART same multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L52	1	"6721868".pn.	USPAT	AND	ON	2007/02/05 02:53
L53	3	headless adj environment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L54	3653	headless	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L55	168	headless with (environment or operating)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L56	18	(headless with (environment or operating)) "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L57	9724	UART	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L58	1903	UART (in\$band or out\$of\$band or \$boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L59	890	UART (in\$band or out\$of\$band or \$boot) multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L60	401	UART (in\$band or out\$of\$band) multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L61	18	headless pre\$boot	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L62	3838	UART multiplex\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L63	1284	UART multiplex\$4 microcontroller	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L64	326	UART (in\$band or out\$of\$band) multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L65	17280	709/203,217-219,227.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L66	0	headless and rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L67	5	rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L68	5	rout\$3 and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L69	9554	UART	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L70	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L71	2613	L70 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L72	1302	L71 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L73	349	L71 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L74	5263	L70 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L75	2557	L74 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L76	345	L75 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L77	1266	L75 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L78	780	L77 and (partition or sect\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L79	165	L78 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L80	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L81	5263	L80 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L82	24	L81 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L83	17280	709/203,217-219,227.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L84	0	headless and rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L85	5	rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L86	5	rout\$3 and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L87	9554	UART	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L88	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L89	2613	L88 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L90	1302	L89 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L91	349	L89 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L92	5263	L88 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L93	2557	L92 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L94	345	L93 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L95	1266	L93 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L96	780	L95 and (partition or sect\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L97	165	L96 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L98	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L99	5263	L98 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L100	24	L99 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L101	3653	headless	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L102	9724	UART	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L103	1903	UART (in\$band or out\$of\$band or \$boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L104	3838	UART multiplex\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L105	1	L79 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L106	1	L97 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L107	1	"6721868".pn.	USPAT	AND	ON	2007/02/05 02:53
L108	57	L81 and (UART near2 multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L109	57	L81 and (UART near2 multiplex\$3) and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L110	16	L81 and (UART adj multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L111	16	L82 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L112	28	L108 and (provide or improve or better)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L113	57	L99 and (UART near2 multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L114	57	L99 and (UART near2 multiplex\$3) and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L115	16	L99 and (UART adj multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L116	16	L100 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L117	28	L113 and (provide or improve or better)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L118	3	headless adj environment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L119	18	(headless with (environment or operating)) "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L120	18	headless pre\$boot	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L121	165	L78 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L122	165	L96 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L123	168	headless with (environment or operating)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L124	326	UART (in\$band or out\$of\$band) multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L125	401	UART (in\$band or out\$of\$band) multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L126	431	L81 and (UART same multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L127	431	L99 and (UART same multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L128	890	UART (in\$band or out\$of\$band or \$boot) multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L129	1284	UART multiplex\$4 microcontroller	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L130	50	(headless with communication)	US-PGPUB; USPAT	AND	ON	2007/02/05 02:53
L131	57	(headless with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L132	54	(headless with communication) (manag\$5 or maintenance or support\$3 or service)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L133	17	(headless with communication) (manag\$5 or maintenance or support\$3 or service) (service with process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L134	10	(headless with communication) (manag\$5 or maintenance or support\$3 or service) (service with process\$3) (channel or in\$band or out\$of\$band or pre\$boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L135	44	L132 not L134	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L136	10	(headless with communication) (manag\$5 or maintenance or support\$3 or service) (multiplex\$3 or UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L137	57	(headless with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L138	299	(headless with (system or communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L139	201	(headless with (system or communication)) network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L140	40	(headless with (system or communication)) network (manag\$5 or maintenance or support\$3 or service) (service with process\$3) (channel or in\$band or out\$of\$band or pre\$boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L141	12	(headless with (system or communication)) network (manag\$5 or maintenance or support\$3 or service) (service with process\$3) (channel or in\$band or out\$of\$band or pre\$boot) (multiplex\$3 or UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L142	9	L141 not L136	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L143	17	(headless with (system or communication)) network (manag\$5 or maintenance or support\$3 or service) (service with process\$3) (in\$band or out\$of\$band or pre\$boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L144	15	(headless with (system or communication)) network (manag\$5 or maintenance or support\$3 or service) (service with process\$3) (in\$band or out\$of\$band or pre\$boot) (remote with (console or display or terminal))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L145	2	(headless with (system or communication)) in\$band out\$of\$band	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L146	11	(headless with (system or communication)) (in\$band or out\$of\$band)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L147	11	(headless with (system or communication)) (in\$band or out\$of\$band) remote	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L148	11	(headless with (system or communication)) (in\$band or out\$of\$band) remote channel	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L149	2	(headless with (system or communication)) (in\$band or out\$of\$band) remote channel pre\$boot	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L150	10	(headless with (system or communication)) (in\$band or out\$of\$band) remote channel multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L151	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L152	5263	L151 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L153	57	L152 and (UART near2 multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L154	28	L153 and (provide or improve or better)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L155	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L156	5263	L155 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L157	57	L156 and (UART near2 multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L158	28	L157 and (provide or improve or better)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L159	0	headless and rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L160	10	(headless with (system or communication)) (in\$band or out\$of\$band) remote channel multiplex\$3 control command	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L161	1	"6721868".pn.	USPAT	AND	ON	2007/02/05 02:53
L162	17280	709/203,217-219,227.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L163	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L164	5263	L163 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L165	2557	L164 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L166	345	L165 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L167	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L168	5263	L167 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L169	2557	L168 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L170	1266	L169 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L171	780	L170 and (partition or sect\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L172	165	L171 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L173	1266	L165 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L174	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L175	5263	L174 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L176	2557	L175 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L177	1266	L176 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L178	780	L177 and (partition or sect\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L179	165	L178 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L180	1	L179 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L181	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L182	5263	L181 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L183	24	L182 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L184	17280	709/203,217-219,227.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L185	1	L172 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L186	8	(headless with communication) UART	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L187	2613	L167 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L188	349	L187 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB.	AND	ON	2007/02/05 02:53
L189	9554	UART	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L190	11	(headless with (system or communication)) (in\$band or out\$of\$band) remote channel	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L191	168	headless with (environment or operating)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L192	57	L182 and (UART near2 multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L193	28	L192 and (provide or improve or better)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L194	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L195	5263	L194 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L196	431	L195 and (UART same multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L197	431	L182 and (UART same multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L198	431	L156 and (UART same multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L199	890	UART (in\$band or out\$of\$band or \$boot) multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L200	24	L152 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L201	16	L200 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L202	24	L195 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L203	3653	headless	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L204	3838	UART multiplex\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L205	9554	UART	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L206	890	UART (in\$band or out\$of\$band or \$boot) multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L207	1284	UART multiplex\$4 microcontroller	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L208	57	L195 and (UART near2 multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L209	28	L208 and (provide or improve or better)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L210	1284	UART multiplex\$4 microcontroller	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L211	5407	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L212	5263	L211 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L213	2557	L212 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L214	345	L213 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L215	2613	L211 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L216	1302	L215 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L217	2613	L174 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L218	349	L217 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L219	8	(headless with (system or communication)) (in\$band or out\$of\$band) remote channel multiplex\$3 (control with command)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L220	5	rout\$3 and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L221	2613	L163 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L222	0	headless and rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L223	299	(headless with (system or communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L224	24	L156 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L225	349	L215 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L226	16	L152 and (UART adj multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L227	780	L173 and (partition or sect\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L228	165	L227 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L229	1	L228 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L230	5	route and (communication or transmission) and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L231	3653	headless	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L232	9724	UART	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L233	1903	UART (in-band or out-of-band or boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L234	0	headless and route and (communication or transmission) and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L235	1266	L213 and multiplex	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L236	780	L235 and (partition or section)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L237	165	L236 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L238	57	L156 and (UART near2 multiplex\$3) and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L239	40	(headless with (system or communication)) network (manag\$5 or maintenance or support\$3 or service) (service with process\$3) (channel or in\$band or out\$of\$band or pre\$boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L240	16	L202 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L241	16	L182 and (UART adj multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L242	1302	L187 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L243	1	L237 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L244	1	"6721868".pn.	USPAT	AND	ON	2007/02/05 02:53
L245	5	rout\$3 and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L246	9554	UART	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L247	345	L169 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L248	17280	709/203,217-219,227.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L249	0	headless and rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L250	9554	UART	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L251	9724	UART	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L252	1903	UART (in\$band or out\$of\$band or \$boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L253	57	L182 and (UART near2 multiplex\$3) and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L254	16	L183 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L255	16	L156 and (UART adj multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L256	18	(headless with (environment or operating)) "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L257	57	L195 and (UART near2 multiplex\$3) and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L258	16	L195 and (UART adj multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L259	18	headless pre\$boot	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L260	57	L152 and (UART near2 multiplex\$3) and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L261	3	headless adj environment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L262	57	(headless with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L263	18	headless pre\$boot	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L264	50	(headless with communication)	US-PGPUB; USPAT	AND	ON	2007/02/05 02:53
L265	18	(headless with (environment or operating)) "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L266	3	headless adj environment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L267	17	(headless with communication) (manag\$5 or maintenance or support\$3 or service) (service with process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L268	16	L224 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L269	10	(headless with communication) (manag\$5 or maintenance or support\$3 or service) (service with process\$3) (channel or in\$band or out\$of\$band or pre\$boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L270	54	(headless with communication) (manag\$5 or maintenance or support\$3 or service)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L271	5	rout\$3 and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L272	1302	L217 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L273	349	L221 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L274	3838	UART multiplex\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L275	11	(headless with (system or communication)) (in\$band or out\$of\$band) remote	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L276	1302	L221 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L277	44	L270 not L269	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L278	10	(headless with communication) (manag\$5 or maintenance or support\$3 or service) (multiplex\$3 or UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L279	5	rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L280	57	(headless with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L281	12	(headless with (system or communication)) network (manag\$5 or maintenance or support\$3 or service) (service with process\$3) (channel or in\$band or out\$of\$band or pre\$boot) (multiplex\$3 or UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L282	9	L281 not L278	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L283	17	(headless with (system or communication)) network (manag\$5 or maintenance or support\$3 or service) (service with process\$3) (in\$band or out\$of\$band or pre\$boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L284	15	(headless with (system or communication)) network (manag\$5 or maintenance or support\$3 or service) (service with process\$3) (in\$band or out\$of\$band or pre\$boot) (remote with (console or display or terminal))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L285	2	(headless with (system or communication)) in\$band out\$of\$band	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L286	2	(headless with (system or communication)) (in\$band or out\$of\$band) remote channel pre\$boot	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L287	10	(headless with (system or communication)) (in\$band or out\$of\$band) remote channel multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L288	165	L227 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L289	11	(headless with (system or communication)) (in\$band or out\$of\$band)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L290	5	rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L291	5	rout\$3 and (communicat\$3 or transmi\$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L292	165	L236 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L293	165	L171 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L294	401	UART (in\$band or out\$of\$band) multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L295	165	L178 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L296	17280	709/203,217-219,227.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53

EAST Search History

L297	168	headless with (environment or operating)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L298	201	(headless with (system or communication)) network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L299	345	L176 and (multiplex\$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L300	5	rout\$3 and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53
L301	326	UART (in\$band or out\$of\$band) multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L302	326	UART (in\$band or out\$of\$band) multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L303	401	UART (in\$band or out\$of\$band) multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/05 02:53
L304	431	L152 and (UART same multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/05 02:53